



☐ Subject to Site of Care

# Kadcyla® (ado-trastuzumab emtansine) (Intravenous)

**Document Number: IC-0092** 

Last Review Date: 03/05/2024 Date of Origin: 05/16/2013

Dates Reviewed: 07/2013, 11/2013, 12/2013, 03/2014, 06/2014, 09/2014, 12/2014, 05/2015, 08/2015, 11/2015, 02/2016, 05/2016, 08/2016, 11/2016, 02/2017, 05/2017, 08/2017, 11/2017, 02/2018, 05/2018, 09/2018, 12/2018, 03/2019, 04/2019, 06/2019, 9/2019, 12/2019, 03/2020, 06/2020, 09/2020, 12/2020, 03/2021, 06/2021, 09/2021, 12/2021, 03/2022, 06/2022, 09/2022, 12/2022, 03/2023, 06/2023, 09/2023, 12/2023, 03/2024

# I. Length of Authorization 1,7,15

Coverage will be provided for 6 months and may be renewed, unless otherwise specified.

• Adjuvant treatment in breast cancer is limited to 14 cycles (42 weeks total). (May be given for up to 17 cycles in patients who did not receive preoperative therapy).

# **II.** Dosing Limits

- A. Quantity Limit (max daily dose) [NDC Unit]:
  - Kadcyla 100 mg single-dose vial: 1 vial every 21 days
  - Kadcyla 160 mg single-dose vial: 3 vials every 21 days
- B. Max Units (per dose and over time) [HCPCS Unit]:
  - 480 billable units every 21 days

# III. Initial Approval Criteria <sup>1</sup>

Coverage is provided in the following conditions:

• Patient is at least 18 years of age; AND

#### Universal Criteria 1

- Left ventricular ejection fraction (LVEF) is within normal limits prior to initiating therapy and will be assessed at regular intervals (e.g., every 3 months) during treatment; **AND**
- Used as a single agent; AND



• Therapy will not be substituted with or for any trastuzumab-based formulation (i.e., trastuzumab [or trastuzumab biosimilar product], fam-trastuzumab deruxtecan-nxki, trastuzumab-hyaluronidase, pertuzumab/trastuzumab and hyaluronidase-zzxf, etc.); AND

# Breast Cancer † ‡ 1-4,7

- Patient has human epidermal growth factor receptor 2 (HER2)-positive\* disease as determined by an FDA-approved or CLIA-compliant test\*; AND
  - Used as adjuvant therapy; AND
    - Patient has locally advanced or node positive disease ‡; AND
      - Used for residual disease following completion of planned chemotherapy and mastectomy or breast-conserving surgery (BCS); **OR**
      - Used in patients not considering pre-operative systemic therapy; **OR**
    - Patient has inflammatory breast cancer; AND
      - Used in patients who had a response to preoperative systemic therapy,
        followed by surgery, and need to complete planned chemotherapy ‡; OR
      - Patient has residual disease following preoperative therapy ‡; OR
    - Patient has early breast cancer with residual invasive disease after neoadjuvant taxane and trastuzumab-based therapy †; **OR**
  - Patient has metastatic or recurrent unresectable disease OR inflammatory breast cancer with no response to preoperative systemic therapy; AND
    - Used as second-line therapy and beyond; OR
  - Patient has metastatic disease that recurred during or within 6 months of completing adjuvant therapy †; AND
    - Patient previously received trastuzumab and a taxane, separately or in combination

## Central Nervous System (CNS) Cancer ‡ 2,13

- Patient has human epidermal growth factor receptor 2 (HER2)-positive\* disease as determined by an FDA-approved or CLIA-compliant test\*; AND
- Used for the treatment of brain metastases in patients with breast cancer; AND
  - o Used as initial treatment in patients with small asymptomatic brain metastases; **OR**
  - Used for relapsed limited brain metastases with either stable systemic disease or reasonable systemic treatment options; OR
  - o Patient has recurrent limited brain metastases; OR
  - Used for recurrent extensive brain metastases with stable systemic disease or reasonable systemic treatment options

## Non-Small Cell Lung Cancer (NSCLC) ‡ 2,5,11



- Patient has ERBB2 (HER2) mutation positive disease as determined by an FDA-approved or CLIA-complaint test\*; AND
- Used as subsequent therapy; AND
- Patient has recurrent, advanced, or metastatic disease (excluding locoregional recurrence or symptomatic local disease without evidence of disseminated disease) or mediastinal lymph node recurrence with prior radiation therapy

#### Head and Neck Cancer ‡ 2,12,14

- Patient has human epidermal growth factor receptor 2 (HER2)-positive\* disease as determined by an FDA-approved or CLIA-compliant test\*; AND
- Patient has salivary gland tumors; AND
- Used for one of the following:
  - o Recurrent disease with distant metastases
  - o Unresectable locoregional recurrence with prior radiation therapy (RT)
  - Unresectable second primary with prior RT

#### \*HER2-positive overexpression criteria

#### Breast, CNS, and Head and Neck Cancer: 7,8,14

- Immunohistochemistry (IHC) assay 3+; OR
- Dual-probe in situ hybridization (ISH) assay HER2/CEP17 ratio ≥ 2.0 AND average HER2 copy number ≥ 4.0 signals/cell; **OR**
- Dual-probe in situ hybridization (ISH) assay AND concurrent IHC indicating one of the following:
  - o HER2/CEP17 ratio  $\geq$  2.0 AND average HER2 copy number < 4.0 signals/cell AND concurrent IHC 3+; **OR**
  - HER2/CEP17 ratio < 2.0 AND average HER2 copy number ≥ 6.0 signals/cell AND concurrent IHC 2+ or 3+; OR</li>
  - $\circ$  HER2/CEP17 ratio < 2.0 AND average HER2 copy number  $\geq 4.0$  and < 6.0 signals/cell AND concurrent IHC 3+
- ♦ If confirmed using an FDA-approved assay http://www.fda.gov/companiondiagnostics
- † FDA Approved Indication(s); ‡ Compendia Recommended Indication(s); **Φ** Orphan Drug

#### IV. Renewal Criteria 1,5

Coverage may be renewed based upon the following criteria:

- Patient continues to meet the universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**



- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: left ventricular dysfunction, hepatotoxicity, pulmonary toxicity (i.e., interstitial lung disease, pneumonitis), thrombocytopenia, neurotoxicity, infusion-related and hypersensitivity reactions, hemorrhage, extravasation at infusion site, etc.; **AND**
- Left ventricular ejection fraction (LVEF) obtained within the previous 3 months as follows:
  - o Metastatic or Recurrent Breast Cancer: LVEF is >45% OR LVEF is 40% to ≤45% and absolute decrease is <10% from baseline; **OR**
  - o All other indications: LVEF is ≥50% OR LVEF is 45% to <50% and <u>absolute</u> decrease is <10% from baseline; **AND**

# Breast Cancer (adjuvant treatment) 1,7,15

• Patient has not exceeded a maximum of 14 cycles of therapy (42 weeks total). (May be given for up to 17 cycles in patients who did not receive preoperative therapy).

# V. Dosage/Administration 1,5,12,13,15

Indication	Dose
Breast Cancer (adjuvant treatment)	Administer 3.6 mg/kg intravenously every 3 weeks (21-day cycle) for up to 14 cycles unless there is disease recurrence or unmanageable toxicity *May be given for up to 17 cycles in patients who did not receive preoperative therapy.
Breast Cancer (all other treatment settings), CNS Cancer, NSCLC, Head and Neck Cancer	Administer 3.6 mg/kg intravenously every 3 weeks (21-day cycle) until disease progression or unacceptable toxicity

## VI. Billing Code/Availability Information

#### **HCPCS Code**:

J9354 – Injection, ado-trastuzumab emtansine, 1 mg; 1 billable unit = 1 mg

#### NDC(s):

- Kadcyla 100 mg single-dose vial: 50242-0088-xx
- Kadcyla 160 mg single-dose vial: 50242-0087-xx

©2024, Magellan Rx Management

#### VII. References

- 1. Kadcyla [package insert]. South San Francisco, CA; Genentech, Inc.; February 2022. Accessed January 2024.
- 2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) ado-trastuzumab emtansine. National Comprehensive Cancer Network, 2024. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL



- COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed January 2024.
- 3. Verma S, Miles D, Gianni L, et al. Trastuzumab emtansine for HER2-positive advanced breast cancer. N Engl J Med. 2012 Nov 8; 367(19):1783-91.
- 4. von Minckwitz G, Huang CS, Mano MS, et al. Trastuzumab Emtansine for Residual Invasive HER2-Positive Breast Cancer. N Engl J Med. 2019 Feb 14;380(7):617-628.
- 5. Li BT, Shen R, Buonocore D, et al. Ado-trastuzumab emtansine for patients with HER2 mutant lung cancers: Results from a phase II basket trial. J Clin Oncol. 2018 Aug 20;36(24):2532-2537. doi: 10.1200/JCO.2018.77.9777.
- 6. Fahrenbruch R, Kintzel P, Bott AM, et al. Dose Rounding of Biologic and Cytotoxic Anticancer Agents: A Position Statement of the Hematology/Oncology Pharmacy Association. J Oncol Pract. 2018 Mar;14(3):e130-e136.
- 7. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Breast Cancer, Version 1.2024. National Comprehensive Cancer Network, 2024. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed January 2024.
- 8. Wolff AC, Hammond EH, Allison KH, et al. Human epidermal growth factor receptor 2 testing in breast cancer: American Society of Clinical Oncology/College of American Pathologists Clinical Practice Guideline Focused Update. J Clin Oncol 2018;36:2105-2122.
- 9. Hematology/Oncology Pharmacy Association (2019). *Intravenous Cancer Drug Waste Issue Brief*. Retrieved from https://www.hoparx.org/about-us/advocacy-awareness/issue-briefs/
- 10. Bach PB, Conti RM, Muller RJ, et al. Overspending driven by oversized single dose vials of cancer drugs. BMJ. 2016 Feb 29;352:i788.
- 11. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Non-Small Cell Lung Cancer, Version 1.2024. National Comprehensive Cancer Network, 2024. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed January 2024.
- 12. Jhaveri KL, Wang XV, Luoh SW, et al. Ado-trastuzumab emtansine (T-DM1) in patients with HER2-amplified tumors excluding breast and gastric/gastroesophageal junction (GEJ) adenocarcinomas: results from the NCI-MATCH trial (EAY131) subprotocol Q. Ann Oncol. 2019 Nov 1;30(11):1821-1830.
- 13. Montemurro F, Delaloge S, Barrios CH, et al. Trastuzumab emtansine (T-DM1) in patients with HER2-positive metastatic breast cancer and brain metastases: exploratory final



- analysis of cohort 1 from KAMILLA, a single-arm phase IIIb clinical trial. Ann Oncol. 2020 Oct;31(10):1350-1358. doi: 10.1016/j.annonc.2020.06.020.
- 14. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Head and Neck Cancers, Version 1.2024. National Comprehensive Cancer Network, 2024. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed October 2024.
- 15. Tolaney SM, Tayob N, Dang C, et al. Adjuvant Trastuzumab Emtansine Versus Paclitaxel in Combination With Trastuzumab for Stage I HER2-Positive Breast Cancer (ATEMPT): A Randomized Clinical Trial. J Clin Oncol. 2021 Jul 20;39(21):2375-2385. doi: 10.1200/JCO.20.03398. Epub 2021 Jun 2. PMID: 34077270.

# **Appendix 1 – Covered Diagnosis Codes**

ICD-10	ICD-10 Description	
C06.9	Malignant neoplasm of mouth, unspecified	
C07	Malignant neoplasm of parotid gland	
C08.0	Malignant neoplasm of submandibular gland	
C08.1	Malignant neoplasm of sublingual gland	
C08.9	Malignant neoplasm of major salivary gland, unspecified	
C33	Malignant neoplasm of trachea	
C34.00	Malignant neoplasm of unspecified main bronchus	
C34.01	Malignant neoplasm of right main bronchus	
C34.02	Malignant neoplasm of left main bronchus	
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung	
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung	
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung	
C34.2	Malignant neoplasm of middle lobe, bronchus or lung	
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung	
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung	
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung	
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung	
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung	
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung	
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung	
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung	
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung	

C50.011	Malignant neoplasm of nipple and areola, right female breast	
C50.012	Malignant neoplasm of nipple and areola, left female breast	
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast	
C50.021	Malignant neoplasm of nipple and areola, right male breast	
C50.022	Malignant neoplasm of nipple and areola, left male breast	
C50.029	Malignant neoplasm of nipple and areola, unspecified male breast	
C50.111	Malignant neoplasm of central portion of right female breast	
C50.112	Malignant neoplasm of central portion of left female breast	
C50.119	Malignant neoplasm of central portion of unspecified female breast	
C50.121	Malignant neoplasm of central portion of right male breast	
C50.122	Malignant neoplasm of central portion of left male breast	
C50.129	Malignant neoplasm of central portion of unspecified male breast	
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast	
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast	
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast	
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast	
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast	
C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast	
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast	
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast	
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast	
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast	
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast	
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast	
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast	
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast	
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast	
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast	
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast	
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast	
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast	
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast	
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast	
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast	
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast	



C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast	
C50.611	Malignant neoplasm of axillary tail of right female breast	
C50.612	Malignant neoplasm of axillary tail of left female breast	
C50.619	Malignant neoplasm of axillary tail of unspecified female breast	
C50.621	Malignant neoplasm of axillary tail of right male breast	
C50.622	Malignant neoplasm of axillary tail of left male breast	
C50.629	Malignant neoplasm of axillary tail of unspecified male breast	
C50.811	Malignant neoplasm of overlapping sites of right female breast	
C50.812	Malignant neoplasm of overlapping sites of left female breast	
C50.819	Malignant neoplasm of overlapping sites of unspecified female breast	
C50.821	Malignant neoplasm of overlapping sites of right male breast	
C50.822	Malignant neoplasm of overlapping sites of left male breast	
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast	
C50.911	Malignant neoplasm of unspecified site of right female breast	
C50.912	Malignant neoplasm of unspecified site of left female breast	
C50.919	Malignant neoplasm of unspecified site of unspecified female breast	
C50.921	Malignant neoplasm of unspecified site of right male breast	
C50.922	Malignant neoplasm of unspecified site of left male breast	
C50.929	Malignant neoplasm of unspecified site of unspecified male breast	
C79.31	Secondary malignant neoplasm of brain	
Z85.118	Personal history of other malignant neoplasm of bronchus and lung	
Z85.3	Personal history of malignant neoplasm of breast	

# Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

The preceding information is intended for non-Medicare coverage determinations. Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determinations (NCDs) and/or Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. Local Coverage Articles (LCAs) may also exist for claims payment purposes or to clarify benefit eligibility under Part B for drugs which may be self-administered. The following link may be used to search for NCD, LCD, or LCA documents: <a href="https://www.cms.gov/medicare-coverage-database/search.aspx">https://www.cms.gov/medicare-coverage-database/search.aspx</a>. Additional indications, including any preceding information, may be applied at the discretion of the health plan.



# Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions				
Jurisdiction	Applicable State/US Territory	Contractor		
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC		
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC		
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)		
6	MN, WI, IL	National Government Services, Inc. (NGS)		
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.		
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)		
N (9)	FL, PR, VI	First Coast Service Options, Inc.		
J (10)	TN, GA, AL	Palmetto GBA, LLC		
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC		
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in	Novitas Solutions, Inc.		
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)		
15	КҮ, ОН	CGS Administrators, LLC		